

Have you or any member of your household used a public library in the last six months? \* livdel

**Crosstab**

			livdel			Total
			0-14	15-34	35+	
Have you or any member of your household used a public library in the last six months?	Yes	Count	257	232	235	724
		% within livdel	62.1%	56.6%	52.8%	57.1%
	No	Count	157	178	210	545
		% within livdel	37.9%	43.4%	47.2%	42.9%
Total	Count	414	410	445	1269	
	% within livdel	100.0%	100.0%	100.0%	100.0%	

**Chi-Square Tests**

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	7.573 <sup>a</sup>	2	.023
Likelihood Ratio	7.600	2	.022
Linear-by-Linear Association	7.484	1	.006
N of Valid Cases	1269		

a. 0 cells (.0%) have expected count less than 5. The minimum expected count is 176.08.

Rate aspects of the library, with 1 being very poor and 5 being excellent, -- Helpfulness of personnel \* livdel

**Crosstab**

			livdel			Total
			0-14	15-34	35+	
Rate aspects of the library, with 1 being very poor and 5 being excellent, -- Helpfulness of personnel	2	Count	5	0	3	8
		% within livdel	2.0%	.0%	1.3%	1.1%
	3	Count	24	28	30	82
		% within livdel	9.6%	12.4%	13.0%	11.6%
	4	Count	73	78	59	210
		% within livdel	29.3%	34.5%	25.7%	29.8%
	5 (excellent)	Count	147	120	138	405
		% within livdel	59.0%	53.1%	60.0%	57.4%
Total	Count	249	226	230	705	
	% within livdel	100.0%	100.0%	100.0%	100.0%	

**Chi-Square Tests**

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	9.800 <sup>a</sup>	6	.133
Likelihood Ratio	12.081	6	.060
Linear-by-Linear Association	.028	1	.866
N of Valid Cases	705		

a. 3 cells (25.0%) have expected count less than 5. The minimum expected count is 2.56.

Rate aspects of the library, with 1 being very poor and 5 being excellent, -- Competence or knowledge of personnel \* livdel

**Crosstab**

			livdel			Total
			0-14	15-34	35+	
Rate aspects of the library, with 1 being very poor and 5 being excellent, -- Competence or knowledge of personnel	1 (very poor)	Count	5	3	0	8
		% within livdel	2.1%	1.4%	.0%	1.2%
	2	Count	3	0	1	4
		% within livdel	1.3%	.0%	.5%	.6%
	3	Count	23	25	17	65
		% within livdel	9.7%	11.3%	7.8%	9.6%
	4	Count	78	71	72	221
		% within livdel	32.8%	32.0%	33.2%	32.6%
	5 (excellent)	Count	129	123	127	379
		% within livdel	54.2%	55.4%	58.5%	56.0%
Total		Count	238	222	217	677
		% within livdel	100.0%	100.0%	100.0%	100.0%

**Chi-Square Tests**

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	9.293 <sup>a</sup>	8	.318
Likelihood Ratio	12.413	8	.134
Linear-by-Linear Association	3.618	1	.057
N of Valid Cases	677		

a. 6 cells (40.0%) have expected count less than 5. The minimum expected count is 1.28.

Rate aspects of the library, with 1 being very poor and 5 being excellent, -- Availability of materials \* livdel

**Crosstab**

			livdel			Total
			0-14	15-34	35+	
Rate aspects of the library, with 1 being very poor and 5 being excellent, -- Availability of materials	1 (very poor)	Count	0	4	1	5
		% within livdel	.0%	1.8%	.5%	.7%
	2	Count	13	10	8	31
		% within livdel	5.2%	4.4%	3.6%	4.4%
	3	Count	65	50	43	158
		% within livdel	26.2%	21.9%	19.4%	22.6%
	4	Count	84	69	85	238
		% within livdel	33.9%	30.3%	38.3%	34.1%
	5 (excellent)	Count	86	95	85	266
		% within livdel	34.7%	41.7%	38.3%	38.1%
Total		Count	248	228	222	698
		% within livdel	100.0%	100.0%	100.0%	100.0%

**Chi-Square Tests**

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	12.287 <sup>a</sup>	8	.139
Likelihood Ratio	13.088	8	.109
Linear-by-Linear Association	2.135	1	.144
N of Valid Cases	698		

a. 3 cells (20.0%) have expected count less than 5. The minimum expected count is 1.59.

**Rate aspects of the library, with 1 being very poor and 5 being excellent, -- Variety of materials \* livdel**

**Crosstab**

			livdel			Total
			0-14	15-34	35+	
Rate aspects of the library, with 1 being very poor and 5 being excellent, -- Variety of materials	1 (very poor)	Count	1	6	0	7
		% within livdel	.4%	2.6%	.0%	1.0%
	2	Count	15	9	6	30
		% within livdel	6.0%	4.0%	2.6%	4.3%
	3	Count	56	44	35	135
		% within livdel	22.6%	19.4%	15.3%	19.2%
	4	Count	81	75	78	234
		% within livdel	32.7%	33.0%	34.1%	33.2%
	5 (excellent)	Count	95	93	110	298
		% within livdel	38.3%	41.0%	48.0%	42.3%
Total	Count	248	227	229	704	
	% within livdel	100.0%	100.0%	100.0%	100.0%	

**Chi-Square Tests**

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	18.904 <sup>a</sup>	8	.015
Likelihood Ratio	19.507	8	.012
Linear-by-Linear Association	8.530	1	.003
N of Valid Cases	704		

a. 3 cells (20.0%) have expected count less than 5. The minimum expected count is 2.26.

**Rate aspects of the library, with 1 being very poor and 5 being excellent, -- Condition of materials \* livdel**

**Crosstab**

			livdel			Total
			0-14	15-34	35+	
Rate aspects of the library, with 1 being very poor and 5 being excellent, -- Condition of materials	1 (very poor)	Count	0	0	0	0
		% within livdel	.0%	.0%	.0%	.0%
	2	Count	4	4	0	8
		% within livdel	1.6%	1.8%	.0%	1.1%
	3	Count	30	35	26	91
		% within livdel	12.1%	15.4%	11.5%	13.0%
	4	Count	84	84	86	254
		% within livdel	34.0%	37.0%	38.1%	36.3%
	5 (excellent)	Count	129	104	114	347
		% within livdel	52.2%	45.8%	50.4%	49.6%
Total	Count	247	227	226	700	
	% within livdel	100.0%	100.0%	100.0%	100.0%	

**Chi-Square Tests**

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	6.996 <sup>a</sup>	8	.537
Likelihood Ratio	9.389	8	.311
Linear-by-Linear Association	.067	1	.795
N of Valid Cases	700		

a. 6 cells (40.0%) have expected count less than 5. The minimum expected count is .00.

Rate aspects of the library, with 1 being very poor and 5 being excellent, -- Range of services for preschoolers \* livdel

**Crosstab**

			livdel			Total
			0-14	15-34	35+	
Rate aspects of the library, with 1 being very poor and 5 being excellent, -- Range of services for preschoolers	1 (very poor)	Count	5	1	0	6
		% within livdel	4.5%	1.1%	.0%	2.1%
	2	Count	8	4	2	14
		% within livdel	7.1%	4.4%	2.4%	4.9%
	3	Count	23	9	13	45
		% within livdel	20.5%	10.0%	15.3%	15.7%
	4	Count	17	34	23	74
		% within livdel	15.2%	37.8%	27.1%	25.8%
	5 (excellent)	Count	59	42	47	148
		% within livdel	52.7%	46.7%	55.3%	51.6%
Total	Count	112	90	85	287	
	% within livdel	100.0%	100.0%	100.0%	100.0%	

**Chi-Square Tests**

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	21.711 <sup>a</sup>	8	.005
Likelihood Ratio	23.294	8	.003
Linear-by-Linear Association	4.648	1	.031
N of Valid Cases	287		

a. 5 cells (33.3%) have expected count less than 5. The minimum expected count is 1.78.

Rate aspects of the library, with 1 being very poor and 5 being excellent, -- Range of services Range of services for young adults or teens for adults \* livdel

**Crosstab**

			livdel			Total
			0-14	15-34	35+	
Rate aspects of the library, with 1 being very poor and 5 being excellent, -- Range of services Range of services for young adults or teens for adults	1 (very poor)	Count	6	2	0	8
		% within livdel	4.1%	1.9%	.0%	2.1%
	2	Count	7	3	3	13
		% within livdel	4.8%	2.8%	2.5%	3.5%
	3	Count	32	26	22	80
		% within livdel	22.1%	24.1%	18.2%	21.4%
	4	Count	46	54	53	153
		% within livdel	31.7%	50.0%	43.8%	40.9%
	5 (excellent)	Count	54	23	43	120
		% within livdel	37.2%	21.3%	35.5%	32.1%
Total	Count	145	108	121	374	
	% within livdel	100.0%	100.0%	100.0%	100.0%	

**Chi-Square Tests**

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	18.563 <sup>a</sup>	8	.017
Likelihood Ratio	21.109	8	.007
Linear-by-Linear Association	2.585	1	.108
N of Valid Cases	374		

a. 5 cells (33.3%) have expected count less than 5. The minimum expected count is 2.31.

Rate aspects of the library, with 1 being very poor and 5 being excellent, -- Range of services for families \* livdel

**Crosstab**

			livdel			Total
			0-14	15-34	35+	
Rate aspects of the library, with 1 being very poor and 5 being excellent, -- Range of services for families	1 (very poor)	Count	0	1	0	1
		% within livdel	.0%	.6%	.0%	.2%
	2	Count	11	5	1	17
		% within livdel	5.4%	2.8%	.6%	3.1%
	3	Count	24	34	33	91
		% within livdel	11.8%	19.2%	19.5%	16.5%
	4	Count	82	81	53	216
		% within livdel	40.2%	45.8%	31.4%	39.3%
	5 (excellent)	Count	87	56	82	225
		% within livdel	42.6%	31.6%	48.5%	40.9%
Total	Count	204	177	169	550	
	% within livdel	100.0%	100.0%	100.0%	100.0%	

**Chi-Square Tests**

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	24.442 <sup>a</sup>	8	.002
Likelihood Ratio	26.203	8	.001
Linear-by-Linear Association	.584	1	.445
N of Valid Cases	550		

a. 3 cells (20.0%) have expected count less than 5. The minimum expected count is .31.

Rate aspects of the library, with 1 being very poor and 5 being excellent, -- Range of services for senior citizens \* livdel

**Crosstab**

			livdel			Total
			0-14	15-34	35+	
Rate aspects of the library, with 1 being very poor and 5 being excellent, -- Range of services for senior citizens	1 (very poor)	Count	8	7	0	15
		% within livdel	6.6%	6.7%	.0%	4.3%
	2	Count	3	2	0	5
		% within livdel	2.5%	1.9%	.0%	1.4%
	3	Count	16	15	24	55
		% within livdel	13.1%	14.4%	20.0%	15.9%
	4	Count	34	34	35	103
		% within livdel	27.9%	32.7%	29.2%	29.8%
	5 (excellent)	Count	61	46	61	168
		% within livdel	50.0%	44.2%	50.8%	48.6%
Total	Count	122	104	120	346	
	% within livdel	100.0%	100.0%	100.0%	100.0%	

### Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	13.784 <sup>a</sup>	8	.088
Likelihood Ratio	20.111	8	.010
Linear-by-Linear Association	1.931	1	.165
N of Valid Cases	346		

a. 4 cells (26.7%) have expected count less than 5. The minimum expected count is 1.50.

Rate aspects of the library, with 1 being very poor and 5 being excellent, -- Range of services for non-English speaking users \* livdel

### Crosstab

			livdel			Total
			0-14	15-34	35+	
Rate aspects of the library, with 1 being very poor and 5 being excellent, -- Range of services for non-English speaking users	1 (very poor)	Count	6	12	3	21
		% within livdel	9.8%	31.6%	5.8%	13.9%
	2	Count	4	2	2	8
		% within livdel	6.6%	5.3%	3.8%	5.3%
	3	Count	15	15	26	56
		% within livdel	24.6%	39.5%	50.0%	37.1%
	4	Count	11	7	9	27
		% within livdel	18.0%	18.4%	17.3%	17.9%
	5 (excellent)	Count	25	2	12	39
		% within livdel	41.0%	5.3%	23.1%	25.8%
Total		Count	61	38	52	151
		% within livdel	100.0%	100.0%	100.0%	100.0%

### Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	28.907 <sup>a</sup>	8	.000
Likelihood Ratio	29.763	8	.000
Linear-by-Linear Association	1.463	1	.226
N of Valid Cases	151		

a. 3 cells (20.0%) have expected count less than 5. The minimum expected count is 2.01.

Rate aspects of the library, with 1 being very poor and 5 being excellent, -- Availability of Internet access \* livdel

**Crosstab**

			livdel			Total
			0-14	15-34	35+	
Rate aspects of the library, with 1 being very poor and 5 being excellent, -- Availability of Internet access	1 (very poor)	Count	5	5	4	14
		% within livdel	2.4%	2.7%	2.1%	2.4%
	2	Count	9	7	11	27
		% within livdel	4.3%	3.8%	5.9%	4.6%
	3	Count	26	23	34	83
		% within livdel	12.3%	12.5%	18.2%	14.3%
	4	Count	66	54	52	172
		% within livdel	31.3%	29.3%	27.8%	29.6%
	5 (excellent)	Count	105	95	86	286
		% within livdel	49.8%	51.6%	46.0%	49.1%
Total		Count	211	184	187	582
		% within livdel	100.0%	100.0%	100.0%	100.0%

**Chi-Square Tests**

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	5.101 <sup>a</sup>	8	.747
Likelihood Ratio	4.957	8	.762
Linear-by-Linear Association	1.396	1	.237
N of Valid Cases	582		

a. 2 cells (13.3%) have expected count less than 5. The minimum expected count is 4.43.

Rate aspects of the library, with 1 being very poor and 5 being excellent, -- Availability of computers \* livdel

**Crosstab**

			livdel			Total
			0-14	15-34	35+	
Rate aspects of the library, with 1 being very poor and 5 being excellent, -- Availability of computers	1 (very poor)	Count	4	5	2	11
		% within livdel	1.8%	2.6%	1.0%	1.8%
	2	Count	6	10	23	39
		% within livdel	2.7%	5.2%	11.9%	6.4%
	3	Count	39	28	27	94
		% within livdel	17.5%	14.7%	14.0%	15.5%
	4	Count	73	58	56	187
		% within livdel	32.7%	30.4%	29.0%	30.8%
	5 (excellent)	Count	101	90	85	276
		% within livdel	45.3%	47.1%	44.0%	45.5%
Total		Count	223	191	193	607
		% within livdel	100.0%	100.0%	100.0%	100.0%

**Chi-Square Tests**

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	17.273 <sup>a</sup>	8	.027
Likelihood Ratio	16.850	8	.032
Linear-by-Linear Association	1.924	1	.165
N of Valid Cases	607		

a. 3 cells (20.0%) have expected count less than 5. The minimum expected count is 3.46.

Rate aspects of the library, with 1 being very poor and 5 being excellent, -- Availability of other technologies \* livdel

**Crosstab**

			livdel			Total
			0-14	15-34	35+	
Rate aspects of the library, with 1 being very poor and 5 being excellent, -- Availability of other technologies	1 (very poor)	Count	5	1	4	10
		% within livdel	3.2%	.7%	2.8%	2.2%
	2	Count	10	21	14	45
		% within livdel	6.4%	14.0%	9.7%	10.0%
	3	Count	40	38	35	113
		% within livdel	25.6%	25.3%	24.1%	25.1%
	4	Count	50	57	42	149
		% within livdel	32.1%	38.0%	29.0%	33.0%
	5 (excellent)	Count	51	33	50	134
		% within livdel	32.7%	22.0%	34.5%	29.7%
Total		Count	156	150	145	451
		% within livdel	100.0%	100.0%	100.0%	100.0%

**Chi-Square Tests**

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	13.488 <sup>a</sup>	8	.096
Likelihood Ratio	14.241	8	.076
Linear-by-Linear Association	.035	1	.851
N of Valid Cases	451		

a. 3 cells (20.0%) have expected count less than 5. The minimum expected count is 3.22.

Rate aspects of the library, with 1 being very poor and 5 being excellent, -- Parking \* livdel

**Crosstab**

			livdel			Total
			0-14	15-34	35+	
Rate aspects of the library, with 1 being very poor and 5 being excellent, -- Parking	1 (very poor)	Count	19	11	23	53
		% within livdel	7.8%	4.9%	10.0%	7.6%
	2	Count	21	26	17	64
		% within livdel	8.6%	11.5%	7.4%	9.2%
	3	Count	34	25	28	87
		% within livdel	13.9%	11.1%	12.2%	12.4%
	4	Count	49	39	55	143
		% within livdel	20.1%	17.3%	24.0%	20.5%
	5 (excellent)	Count	121	125	106	352
		% within livdel	49.6%	55.3%	46.3%	50.4%
Total		Count	244	226	229	699
		% within livdel	100.0%	100.0%	100.0%	100.0%

**Chi-Square Tests**

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	11.473 <sup>a</sup>	8	.176
Likelihood Ratio	11.548	8	.173
Linear-by-Linear Association	.229	1	.632
N of Valid Cases	699		

a. 0 cells (.0%) have expected count less than 5. The minimum expected count is 17.14.

Rate aspects of the library, with 1 being very poor and 5 being excellent, -- Physical condition of the facility \* livdel

**Crosstab**

			livdel			Total
			0-14	15-34	35+	
Rate aspects of the library, with 1 being very poor and 5 being excellent, -- Physical condition of the facility	1 (very poor)	Count	1	0	3	4
		% within livdel	.4%	.0%	1.3%	.6%
	2	Count	0	2	2	4
		% within livdel	.0%	.9%	.9%	.6%
	3	Count	29	16	14	59
		% within livdel	11.5%	7.0%	6.0%	8.3%
	4	Count	61	47	57	165
		% within livdel	24.1%	20.7%	24.5%	23.1%
	5 (excellent)	Count	162	162	157	481
		% within livdel	64.0%	71.4%	67.4%	67.5%
Total		Count	253	227	233	713
		% within livdel	100.0%	100.0%	100.0%	100.0%

**Chi-Square Tests**

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	12.571 <sup>a</sup>	8	.127
Likelihood Ratio	14.426	8	.071
Linear-by-Linear Association	.510	1	.475
N of Valid Cases	713		

a. 6 cells (40.0%) have expected count less than 5. The minimum expected count is 1.27.

Rate aspects of the library, with 1 being very poor and 5 being excellent, -- Adequacy of the facility space to provide needed services \* livdel

**Crosstab**

			livdel			Total
			0-14	15-34	35+	
Rate aspects of the library, with 1 being very poor and 5 being excellent, -- Adequacy of the facility space to provide needed services	1 (very poor)	Count	3	1	4	8
		% within livdel	1.2%	.4%	1.8%	1.2%
	2	Count	8	16	12	36
		% within livdel	3.3%	7.1%	5.5%	5.2%
	3	Count	42	34	30	106
		% within livdel	17.1%	15.2%	13.8%	15.4%
	4	Count	62	73	51	186
		% within livdel	25.2%	32.6%	23.5%	27.1%
	5 (excellent)	Count	131	100	120	351
		% within livdel	53.3%	44.6%	55.3%	51.1%
Total		Count	246	224	217	687
		% within livdel	100.0%	100.0%	100.0%	100.0%

**Chi-Square Tests**

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	12.754 <sup>a</sup>	8	.121
Likelihood Ratio	13.022	8	.111
Linear-by-Linear Association	.032	1	.858
N of Valid Cases	687		

a. 3 cells (20.0%) have expected count less than 5. The minimum expected count is 2.53.

Rate aspects of the library, with 1 being very poor and 5 being excellent, -- Hours of service \* livdel

**Crosstab**

			livdel			Total
			0-14	15-34	35+	
Rate aspects of the library, with 1 being very poor and 5 being excellent, -- Hours of service	1 (very poor)	Count	5	2	3	10
		% within livdel	2.1%	.9%	1.3%	1.5%
	2	Count	7	6	8	21
		% within livdel	2.9%	2.7%	3.6%	3.1%
	3	Count	21	37	26	84
		% within livdel	8.8%	16.7%	11.7%	12.3%
	4	Count	82	78	59	219
		% within livdel	34.3%	35.1%	26.5%	32.0%
	5 (excellent)	Count	124	99	127	350
		% within livdel	51.9%	44.6%	57.0%	51.2%
Total	Count	239	222	223	684	
	% within livdel	100.0%	100.0%	100.0%	100.0%	

**Chi-Square Tests**

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	13.954 <sup>a</sup>	8	.083
Likelihood Ratio	14.001	8	.082
Linear-by-Linear Association	.114	1	.735
N of Valid Cases	684		

a. 3 cells (20.0%) have expected count less than 5. The minimum expected count is 3.25.

Do you have a library card? \* livdel

**Crosstab**

			livdel			Total
			0-14	15-34	35+	
Do you have a library card?	Yes	Count	224	203	197	624
		% within livdel	86.5%	87.1%	83.1%	85.6%
	No	Count	35	30	40	105
		% within livdel	13.5%	12.9%	16.9%	14.4%
Total	Count	259	233	237	729	
	% within livdel	100.0%	100.0%	100.0%	100.0%	

**Chi-Square Tests**

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	1.784 <sup>a</sup>	2	.410
Likelihood Ratio	1.749	2	.417
Linear-by-Linear Association	1.091	1	.296
N of Valid Cases	729		

a. 0 cells (.0%) have expected count less than 5. The minimum expected count is 33.56.

On average, how many times would you say you have visited a public library in the last six months? \* livdel

**Crosstab**

			livdel			Total
			0-14	15-34	35+	
On average, how many times would you say you have visited a public library in the last six months?	Several times each week	Count	24	17	19	60
		% within livdel	9.3%	7.3%	8.1%	8.3%
	Once a week	Count	37	27	36	100
		% within livdel	14.3%	11.6%	15.3%	13.8%
	Several times a month	Count	90	85	57	232
		% within livdel	34.9%	36.6%	24.2%	32.0%
	Once a month	Count	55	58	59	172
		% within livdel	21.3%	25.0%	25.0%	23.7%
	Less than once a month	Count	52	45	65	162
		% within livdel	20.2%	19.4%	27.5%	22.3%
Total	Count	258	232	236	726	
	% within livdel	100.0%	100.0%	100.0%	100.0%	

**Chi-Square Tests**

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	13.847 <sup>a</sup>	8	.086
Likelihood Ratio	14.072	8	.080
Linear-by-Linear Association	3.394	1	.065
N of Valid Cases	726		

a. 0 cells (.0%) have expected count less than 5. The minimum expected count is 19.17.

Do you generally make a special trip to go to the library? \* livdel

**Crosstab**

			livdel			Total
			0-14	15-34	35+	
Do you generally make a special trip to go to the library?	Yes	Count	206	184	177	567
		% within livdel	80.2%	79.3%	76.0%	78.5%
	No	Count	51	48	56	155
		% within livdel	19.8%	20.7%	24.0%	21.5%
Total	Count	257	232	233	722	
	% within livdel	100.0%	100.0%	100.0%	100.0%	

**Chi-Square Tests**

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	1.395 <sup>a</sup>	2	.498
Likelihood Ratio	1.379	2	.502
Linear-by-Linear Association	1.248	1	.264
N of Valid Cases	722		

a. 0 cells (.0%) have expected count less than 5. The minimum expected count is 49.81.

Have you used your library's Internet website or the Delaware Division of Libraries website in the last six months? \* livdel

**Crosstab**

			livdel			Total
			0-14	15-34	35+	
Have you used your library's Internet website or the Delaware Division of Libraries website in the last six months?	Yes	Count	83	77	53	213
		% within livdel	32.0%	33.0%	22.5%	29.3%
	No	Count	176	156	183	515
		% within livdel	68.0%	67.0%	77.5%	70.7%
Total		Count	259	233	236	728
		% within livdel	100.0%	100.0%	100.0%	100.0%

**Chi-Square Tests**

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	7.862 <sup>a</sup>	2	.020
Likelihood Ratio	8.088	2	.018
Linear-by-Linear Association	5.286	1	.021
N of Valid Cases	728		

a. 0 cells (.0%) have expected count less than 5. The minimum expected count is 68.17.

**Purpose of visit to website --- To find out when the Library is open \* livdel**

**Crosstab**

			livdel			Total
			0-14	15-34	35+	
Purpose of visit to website --- To find out when the Library is open	YES	Count	9	7	9	25
		% within livdel	11.0%	9.1%	17.0%	11.8%
	NO	Count	73	70	44	187
		% within livdel	89.0%	90.9%	83.0%	88.2%
Total		Count	82	77	53	212
		% within livdel	100.0%	100.0%	100.0%	100.0%

**Chi-Square Tests**

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	1.965 <sup>a</sup>	2	.374
Likelihood Ratio	1.863	2	.394
Linear-by-Linear Association	.854	1	.355
N of Valid Cases	212		

a. 0 cells (.0%) have expected count less than 5. The minimum expected count is 6.25.

**Purpose of visit to website --- To search the Library's catalog for a book or other items \* livdel**

**Crosstab**

			livdel			Total
			0-14	15-34	35+	
Purpose of visit to website --- To search the Librarys catalog for a book or other items	YES	Count	58	46	35	139
		% within livdel	69.9%	59.7%	64.8%	65.0%
	NO	Count	25	31	19	75
		% within livdel	30.1%	40.3%	35.2%	35.0%
Total	Count	83	77	54	214	
	% within livdel	100.0%	100.0%	100.0%	100.0%	

**Chi-Square Tests**

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	1.805 <sup>a</sup>	2	.406
Likelihood Ratio	1.807	2	.405
Linear-by-Linear Association	.570	1	.450
N of Valid Cases	214		

a. 0 cells (.0%) have expected count less than 5. The minimum expected count is 18.93.

**Purpose of visit to website --- To access online research databases \* livdel**

**Crosstab**

			livdel			Total
			0-14	15-34	35+	
Purpose of visit to website --- To access online research databases	YES	Count	37	21	24	82
		% within livdel	46.3%	27.3%	44.4%	38.9%
	NO	Count	43	56	30	129
		% within livdel	53.8%	72.7%	55.6%	61.1%
Total	Count	80	77	54	211	
	% within livdel	100.0%	100.0%	100.0%	100.0%	

**Chi-Square Tests**

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	6.899 <sup>a</sup>	2	.032
Likelihood Ratio	7.069	2	.029
Linear-by-Linear Association	.269	1	.604
N of Valid Cases	211		

a. 0 cells (.0%) have expected count less than 5. The minimum expected count is 20.99.

**Purpose of visit to website --- To ask a reference question \* livdel**

**Crosstab**

			livdel			Total
			0-14	15-34	35+	
Purpose of visit to website --- To ask a reference question	YES	Count	18	12	16	46
		% within livdel	22.2%	15.6%	29.6%	21.7%
	NO	Count	63	65	38	166
		% within livdel	77.8%	84.4%	70.4%	78.3%
Total	Count	81	77	54	212	
	% within livdel	100.0%	100.0%	100.0%	100.0%	

**Chi-Square Tests**

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	3.707 <sup>a</sup>	2	.157
Likelihood Ratio	3.696	2	.158
Linear-by-Linear Association	.663	1	.416
N of Valid Cases	212		

a. 0 cells (.0%) have expected count less than 5. The minimum expected count is 11.72.

**Have you or members of your household ever used Del A Ware, the Digital Library of the First State, and the electronic resources it contains?**  
\* livdel

**Crosstab**

			livdel			Total
			0-14	15-34	35+	
Have you or members of your household ever used Del A Ware, the Digital Library of the First State, and the electronic resources it contains?	Yes	Count	12	21	9	42
		% within livdel	16.2%	29.2%	17.0%	21.1%
	No	Count	62	51	44	157
		% within livdel	83.8%	70.8%	83.0%	78.9%
Total	Count	74	72	53	199	
	% within livdel	100.0%	100.0%	100.0%	100.0%	

**Chi-Square Tests**

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	4.414 <sup>a</sup>	2	.110
Likelihood Ratio	4.295	2	.117
Linear-by-Linear Association	.098	1	.754
N of Valid Cases	199		

a. 0 cells (.0%) have expected count less than 5. The minimum expected count is 11.19.

**Reason have not used services at public library -- No recent need** \* livdel

**Crosstab**

			livdel			Total
			0-14	15-34	35+	
Reason have not used services at public library -- No recent need	YES	Count	78	92	129	299
		% within livdel	50.0%	51.7%	61.4%	55.0%
	NO	Count	78	86	81	245
		% within livdel	50.0%	48.3%	38.6%	45.0%
Total	Count	156	178	210	544	
	% within livdel	100.0%	100.0%	100.0%	100.0%	

**Chi-Square Tests**

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	5.871 <sup>a</sup>	2	.053
Likelihood Ratio	5.902	2	.052
Linear-by-Linear Association	5.082	1	.024
N of Valid Cases	544		

a. 0 cells (.0%) have expected count less than 5. The minimum expected count is 70.26.

**Reason have not used services at public library -- Not sure where library is located \* livdel**

**Crosstab**

			livdel			Total
			0-14	15-34	35+	
Reason have not used services at public library -- Not sure where library is located	YES	Count	20	2	6	28
		% within livdel	12.7%	1.1%	2.9%	5.1%
	NO	Count	137	176	204	517
		% within livdel	87.3%	98.9%	97.1%	94.9%
Total	Count	157	178	210	545	
	% within livdel	100.0%	100.0%	100.0%	100.0%	

**Chi-Square Tests**

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	26.738 <sup>a</sup>	2	.000
Likelihood Ratio	24.597	2	.000
Linear-by-Linear Association	15.829	1	.000
N of Valid Cases	545		

a. 0 cells (.0%) have expected count less than 5. The minimum expected count is 8.07.

**Reason have not used services at public library -- Not sure when library is open \* livdel**

**Crosstab**

			livdel			Total
			0-14	15-34	35+	
Reason have not used services at public library -- Not sure when library is open	YES	Count	22	3	7	32
		% within livdel	14.1%	1.7%	3.3%	5.9%
	NO	Count	134	175	203	512
		% within livdel	85.9%	98.3%	96.7%	94.1%
Total		Count	156	178	210	544
		% within livdel	100.0%	100.0%	100.0%	100.0%

**Chi-Square Tests**

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	27.168 <sup>a</sup>	2	.000
Likelihood Ratio	24.648	2	.000
Linear-by-Linear Association	16.517	1	.000
N of Valid Cases	544		

a. 0 cells (.0%) have expected count less than 5. The minimum expected count is 9.18.

**Reason have not used services at public library -- No transportation to get to library \* livdel**

**Crosstab**

			livdel			Total
			0-14	15-34	35+	
Reason have not used services at public library -- No transportation to get to library	YES	Count	3	8	5	16
		% within livdel	1.9%	4.5%	2.4%	2.9%
	NO	Count	153	170	205	528
		% within livdel	98.1%	95.5%	97.6%	97.1%
Total		Count	156	178	210	544
		% within livdel	100.0%	100.0%	100.0%	100.0%

**Chi-Square Tests**

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	2.302 <sup>a</sup>	2	.316
Likelihood Ratio	2.190	2	.335
Linear-by-Linear Association	.016	1	.898
N of Valid Cases	544		

a. 1 cells (16.7%) have expected count less than 5. The minimum expected count is 4.59.

**Reason have not used services at public library -- Physically unable to get to library \* livdel**

**Crosstab**

			livdel			Total
			0-14	15-34	35+	
Reason have not used services at public library -- Physically unable to get to library	YES	Count	0	2	10	12
		% within livdel	.0%	1.1%	4.7%	2.2%
	NO	Count	157	176	201	534
		% within livdel	100.0%	98.9%	95.3%	97.8%
Total		Count	157	178	211	546
		% within livdel	100.0%	100.0%	100.0%	100.0%

**Chi-Square Tests**

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	10.824 <sup>a</sup>	2	.004
Likelihood Ratio	12.924	2	.002
Linear-by-Linear Association	9.946	1	.002
N of Valid Cases	546		

a. 3 cells (50.0%) have expected count less than 5. The minimum expected count is 3.45.

**Reason have not used services at public library -- Do not read much \* livdel**

**Crosstab**

			livdel			Total
			0-14	15-34	35+	
Reason have not used services at public library -- Do not read much	YES	Count	16	5	29	50
		% within livdel	10.3%	2.8%	13.8%	9.2%
	NO	Count	140	173	181	494
		% within livdel	89.7%	97.2%	86.2%	90.8%
Total		Count	156	178	210	544
		% within livdel	100.0%	100.0%	100.0%	100.0%

**Chi-Square Tests**

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	14.265 <sup>a</sup>	2	.001
Likelihood Ratio	16.569	2	.000
Linear-by-Linear Association	2.142	1	.143
N of Valid Cases	544		

a. 0 cells (.0%) have expected count less than 5. The minimum expected count is 14.34.

**Reason have not used services at public library -- Too busy \* livdel**

**Crosstab**

			livdel			Total
			0-14	15-34	35+	
Reason have not used services at public library -- Too busy	YES	Count	39	50	54	143
		% within livdel	24.8%	28.1%	25.7%	26.2%
	NO	Count	118	128	156	402
		% within livdel	75.2%	71.9%	74.3%	73.8%
Total		Count	157	178	210	545
		% within livdel	100.0%	100.0%	100.0%	100.0%

**Chi-Square Tests**

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	.504 <sup>a</sup>	2	.777
Likelihood Ratio	.501	2	.778
Linear-by-Linear Association	.017	1	.896
N of Valid Cases	545		

a. 0 cells (.0%) have expected count less than 5. The minimum expected count is 41.19.

**Reason have not used services at public library -- Have other sources of reading materials \* livdel**

**Crosstab**

			livdel			Total
			0-14	15-34	35+	
Reason have not used services at public library -- Have other sources of reading materials	YES	Count	48	75	89	212
		% within livdel	30.6%	42.4%	42.4%	39.0%
	NO	Count	109	102	121	332
		% within livdel	69.4%	57.6%	57.6%	61.0%
Total		Count	157	177	210	544
		% within livdel	100.0%	100.0%	100.0%	100.0%

**Chi-Square Tests**

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	6.543 <sup>a</sup>	2	.038
Likelihood Ratio	6.677	2	.035
Linear-by-Linear Association	4.801	1	.028
N of Valid Cases	544		

a. 0 cells (.0%) have expected count less than 5. The minimum expected count is 61.18.

**Reason have not used services at public library -- Inconvenient hours \* livdel**

**Crosstab**

			livdel			Total
			0-14	15-34	35+	
Reason have not used services at public library -- Inconvenient hours	YES	Count	10	3	10	23
		% within livdel	6.4%	1.7%	4.8%	4.2%
	NO	Count	146	175	200	521
		% within livdel	93.6%	98.3%	95.2%	95.8%
Total		Count	156	178	210	544
		% within livdel	100.0%	100.0%	100.0%	100.0%

**Chi-Square Tests**

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	4.824 <sup>a</sup>	2	.090
Likelihood Ratio	5.388	2	.068
Linear-by-Linear Association	.356	1	.551
N of Valid Cases	544		

a. 0 cells (.0%) have expected count less than 5. The minimum expected count is 6.60.

**Reason have not used services at public library -- Library is too confusing to use \* livdel**

**Crosstab**

			livdel			Total
			0-14	15-34	35+	
Reason have not used services at public library -- Library is too confusing to use	YES	Count	2	10	2	14
		% within livdel	1.3%	5.6%	1.0%	2.6%
	NO	Count	155	168	208	531
		% within livdel	98.7%	94.4%	99.0%	97.4%
Total		Count	157	178	210	545
		% within livdel	100.0%	100.0%	100.0%	100.0%

**Chi-Square Tests**

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	9.856 <sup>a</sup>	2	.007
Likelihood Ratio	9.131	2	.010
Linear-by-Linear Association	.204	1	.651
N of Valid Cases	545		

a. 2 cells (33.3%) have expected count less than 5. The minimum expected count is 4.03.

**Reason have not used services at public library -- Had a bad experience and never went back \* livdel**

**Crosstab**

			livdel			Total
			0-14	15-34	35+	
Reason have not used services at public library -- Had a bad experience and never went back	YES	Count	1	10	0	11
		% within livdel	.6%	5.6%	.0%	2.0%
	NO	Count	156	168	210	534
		% within livdel	99.4%	94.4%	100.0%	98.0%
Total		Count	157	178	210	545
		% within livdel	100.0%	100.0%	100.0%	100.0%

**Chi-Square Tests**

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	17.503 <sup>a</sup>	2	.000
Likelihood Ratio	18.523	2	.000
Linear-by-Linear Association	.598	1	.440
N of Valid Cases	545		

a. 3 cells (50.0%) have expected count less than 5. The minimum expected count is 3.17.

**Reason have not used services at public library -- Library does not have what you want \* livdel**

**Crosstab**

			livdel			Total
			0-14	15-34	35+	
Reason have not used services at public library -- Library does not have what you want	YES	Count	5	4	3	12
		% within livdel	3.2%	2.2%	1.4%	2.2%
	NO	Count	151	174	207	532
		% within livdel	96.8%	97.8%	98.6%	97.8%
Total		Count	156	178	210	544
		% within livdel	100.0%	100.0%	100.0%	100.0%

**Chi-Square Tests**

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	1.312 <sup>a</sup>	2	.519
Likelihood Ratio	1.307	2	.520
Linear-by-Linear Association	1.307	1	.253
N of Valid Cases	544		

a. 3 cells (50.0%) have expected count less than 5. The minimum expected count is 3.44.

**Reason have not used services at public library -- Get information from other libraries \* livdel**

**Crosstab**

			livdel			Total
			0-14	15-34	35+	
Reason have not used services at public library -- Get information from other libraries	YES	Count	23	34	21	78
		% within livdel	14.7%	19.1%	10.0%	14.3%
	NO	Count	133	144	189	466
		% within livdel	85.3%	80.9%	90.0%	85.7%
Total		Count	156	178	210	544
		% within livdel	100.0%	100.0%	100.0%	100.0%

**Chi-Square Tests**

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	6.526 <sup>a</sup>	2	.038
Likelihood Ratio	6.589	2	.037
Linear-by-Linear Association	2.139	1	.144
N of Valid Cases	544		

a. 0 cells (.0%) have expected count less than 5. The minimum expected count is 22.37.

**Reason have not used services at public library -- Get information from Internet \* livdel**

**Crosstab**

			livdel			Total
			0-14	15-34	35+	
Reason have not used services at public library -- Get information from Internet	YES	Count	71	68	83	222
		% within livdel	45.2%	38.4%	39.5%	40.8%
	NO	Count	86	109	127	322
		% within livdel	54.8%	61.6%	60.5%	59.2%
Total		Count	157	177	210	544
		% within livdel	100.0%	100.0%	100.0%	100.0%

**Chi-Square Tests**

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	1.829 <sup>a</sup>	2	.401
Likelihood Ratio	1.820	2	.403
Linear-by-Linear Association	1.059	1	.303
N of Valid Cases	544		

a. 0 cells (.0%) have expected count less than 5. The minimum expected count is 64.07.

**Do you or members of your household use other libraries? \* livdel**

**Crosstab**

			livdel			Total
			0-14	15-34	35+	
Do you or members of your household use other libraries?	YES	Count	176	186	176	538
		% within livdel	42.4%	45.4%	39.4%	42.3%
	NO	Count	237	224	271	732
		% within livdel	57.1%	54.6%	60.6%	57.5%
	9998	Count	2	0	0	2
		% within livdel	.5%	.0%	.0%	.2%
Total	Count	415	410	447	1272	
	% within livdel	100.0%	100.0%	100.0%	100.0%	

**Chi-Square Tests**

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	7.302 <sup>a</sup>	4	.121
Likelihood Ratio	7.650	4	.105
Linear-by-Linear Association	3.103	1	.078
N of Valid Cases	1272		

a. 3 cells (33.3%) have expected count less than 5. The minimum expected count is .64.

**Do you or members of your household go to book stores? \* livdel**

**Crosstab**

			livdel			Total
			0-14	15-34	35+	
Do you or members of your household go to book stores?	YES	Count	361	349	370	1080
		% within livdel	86.8%	85.1%	82.8%	84.8%
	NO	Count	55	61	77	193
		% within livdel	13.2%	14.9%	17.2%	15.2%
	Total	Count	416	410	447	1273
		% within livdel	100.0%	100.0%	100.0%	100.0%

**Chi-Square Tests**

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	2.724 <sup>a</sup>	2	.256
Likelihood Ratio	2.719	2	.257
Linear-by-Linear Association	2.696	1	.101
N of Valid Cases	1273		

a. 0 cells (.0%) have expected count less than 5. The minimum expected count is 62.16.

**Do you or members of your household have Internet access at home? \* livdel**

**Crosstab**

			livdel			Total
			0-14	15-34	35+	
Do you or members of your household have Internet access at home?	YES	Count	360	345	317	1022
		% within livdel	86.7%	84.1%	70.9%	80.3%
	NO	Count	55	65	130	250
		% within livdel	13.3%	15.9%	29.1%	19.7%
	9998	Count	0	0	0	0
		% within livdel	.0%	.0%	.0%	.0%
Total	Count	415	410	447	1272	
	% within livdel	100.0%	100.0%	100.0%	100.0%	

**Chi-Square Tests**

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	39.683 <sup>a</sup>	4	.000
Likelihood Ratio	38.542	4	.000
Linear-by-Linear Association	34.689	1	.000
N of Valid Cases	1272		

a. 3 cells (33.3%) have expected count less than 5. The minimum expected count is .00.

**Do you or members of your household attend concerts, live theater, movies or museums? \* livdel**

**Crosstab**

			livdel			Total
			0-14	15-34	35+	
Do you or members of your household attend concerts, live theater, movies or museums?	YES	Count	340	344	348	1032
		% within livdel	81.7%	83.7%	77.9%	81.0%
	NO	Count	75	66	99	240
		% within livdel	18.0%	16.1%	22.1%	18.8%
	9998	Count	1	1	0	2
		% within livdel	.2%	.2%	.0%	.2%
Total	Count	416	411	447	1274	
	% within livdel	100.0%	100.0%	100.0%	100.0%	

**Chi-Square Tests**

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	6.454 <sup>a</sup>	4	.168
Likelihood Ratio	7.056	4	.133
Linear-by-Linear Association	.810	1	.368
N of Valid Cases	1274		

a. 3 cells (33.3%) have expected count less than 5. The minimum expected count is .65.

**During the past year, about how much money has your household spent buying reading materials, DVDs, and/or videos? \* livdel**

**Crosstab**

			livdel			Total
			0-14	15-34	35+	
During the past year, about how much money has your household spent buying reading materials, DVDs, and/or videos?	None	Count	12	14	21	47
		% within livdel	3.0%	3.5%	4.9%	3.8%
	Less than \$50	Count	43	30	44	117
		% within livdel	10.9%	7.5%	10.3%	9.6%
	\$50-\$100	Count	71	78	110	259
		% within livdel	18.0%	19.4%	25.7%	21.1%
	\$101-\$250	Count	116	145	119	380
		% within livdel	29.4%	36.1%	27.8%	31.0%
	\$251-\$500	Count	80	72	89	241
		% within livdel	20.3%	17.9%	20.8%	19.7%
	More than \$500	Count	73	63	45	181
		% within livdel	18.5%	15.7%	10.5%	14.8%
Total	Count	395	402	428	1225	
	% within livdel	100.0%	100.0%	100.0%	100.0%	

**Chi-Square Tests**

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	26.738 <sup>a</sup>	10	.003
Likelihood Ratio	26.869	10	.003
Linear-by-Linear Association	9.178	1	.002
N of Valid Cases	1225		

a. 0 cells (.0%) have expected count less than 5. The minimum expected count is 15.16.

Rate appeal for services with 5 being most desirable and 1 being of little interest --More extensive book collections \* livdel

**Crosstab**

			livdel			Total
			0-14	15-34	35+	
Rate appeal for services with 5 being most desirable and 1 being of little interest --More extensive book collections	1 (little interest)	Count	52	81	117	250
		% within livdel	13.0%	20.5%	28.3%	20.7%
	2	Count	38	19	33	90
		% within livdel	9.5%	4.8%	8.0%	7.4%
	3	Count	102	133	72	307
		% within livdel	25.5%	33.7%	17.4%	25.4%
	4	Count	65	68	75	208
		% within livdel	16.3%	17.2%	18.1%	17.2%
	5 (most desirable)	Count	143	94	117	354
		% within livdel	35.8%	23.8%	28.3%	29.3%
Total	Count	400	395	414	1209	
	% within livdel	100.0%	100.0%	100.0%	100.0%	

**Chi-Square Tests**

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	60.460 <sup>a</sup>	8	.000
Likelihood Ratio	61.575	8	.000
Linear-by-Linear Association	16.484	1	.000
N of Valid Cases	1209		

a. 0 cells (.0%) have expected count less than 5. The minimum expected count is 29.40.

**Rate appeal for services with 5 being most desirable and 1 being of little interest --Access to additional library electronic databases from home, school, or work computer and from computers in the library \* livdel**

**Crosstab**

			livdel			Total
			0-14	15-34	35+	
Rate appeal for services with 5 being most desirable and 1 being of little interest --Access to additional library electronic databases from home, school, or work computer and from computers in the library	1 (little interest)	Count	52	63	100	215
		% within livdel	13.3%	16.3%	25.3%	18.3%
	2	Count	38	29	49	116
		% within livdel	9.7%	7.5%	12.4%	9.9%
	3	Count	59	73	94	226
		% within livdel	15.1%	18.9%	23.7%	19.3%
	4	Count	112	108	59	279
		% within livdel	28.7%	28.0%	14.9%	23.8%
	5 (most desirable)	Count	129	113	94	336
		% within livdel	33.1%	29.3%	23.7%	28.7%
Total	Count	390	386	396	1172	
	% within livdel	100.0%	100.0%	100.0%	100.0%	

**Chi-Square Tests**

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	54.801 <sup>a</sup>	8	.000
Likelihood Ratio	56.060	8	.000
Linear-by-Linear Association	32.631	1	.000
N of Valid Cases	1172		

a. 0 cells (.0%) have expected count less than 5. The minimum expected count is 38.20.

**Rate appeal for services with 5 being most desirable and 1 being of little interest --Library services available for homebound people \* livdel**

**Crosstab**

			livdel			Total
			0-14	15-34	35+	
Rate appeal for services with 5 being most desirable and 1 being of little interest --Library services available for homebound people	1 (little interest)	Count	72	87	88	247
		% within livdel	18.9%	24.0%	23.0%	22.0%
	2	Count	36	31	24	91
		% within livdel	9.5%	8.6%	6.3%	8.1%
	3	Count	64	53	50	167
		% within livdel	16.8%	14.6%	13.1%	14.9%
	4	Count	74	63	69	206
		% within livdel	19.5%	17.4%	18.1%	18.3%
	5 (most desirable)	Count	134	128	151	413
		% within livdel	35.3%	35.4%	39.5%	36.7%
Total	Count	380	362	382	1124	
	% within livdel	100.0%	100.0%	100.0%	100.0%	

**Chi-Square Tests**

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	8.519 <sup>a</sup>	8	.384
Likelihood Ratio	8.631	8	.374
Linear-by-Linear Association	.036	1	.850
N of Valid Cases	1124		

a. 0 cells (.0%) have expected count less than 5. The minimum expected count is 29.31.

**Rate appeal for services with 5 being most desirable and 1 being of little interest --Structured homework assistance programs \* livdel**

**Crosstab**

			livdel			Total
			0-14	15-34	35+	
Rate appeal for services with 5 being most desirable and 1 being of little interest --Structured homework assistance programs	1 (little interest)	Count	78	111	106	295
		% within livdel	21.1%	30.2%	27.5%	26.3%
	2	Count	28	41	16	85
		% within livdel	7.6%	11.2%	4.1%	7.6%
	3	Count	62	41	65	168
		% within livdel	16.8%	11.2%	16.8%	15.0%
	4	Count	71	84	86	241
		% within livdel	19.2%	22.9%	22.3%	21.5%
	5 (most desirable)	Count	130	90	113	333
		% within livdel	35.2%	24.5%	29.3%	29.7%
Total	Count	369	367	386	1122	
	% within livdel	100.0%	100.0%	100.0%	100.0%	

**Chi-Square Tests**

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	32.090 <sup>a</sup>	8	.000
Likelihood Ratio	32.931	8	.000
Linear-by-Linear Association	2.355	1	.125
N of Valid Cases	1122		

a. 0 cells (.0%) have expected count less than 5. The minimum expected count is 27.80.

**Rate appeal for services with 5 being most desirable and 1 being of little interest --Adult Literacy training \* livdel**

**Crosstab**

			livdel			Total
			0-14	15-34	35+	
Rate appeal for services with 5 being most desirable and 1 being of little interest --Adult Literacy training	1 (little interest)	Count	102	112	119	333
		% within livdel	27.1%	29.9%	31.2%	29.4%
	2	Count	36	35	25	96
		% within livdel	9.5%	9.3%	6.5%	8.5%
	3	Count	59	57	52	168
		% within livdel	15.6%	15.2%	13.6%	14.8%
	4	Count	55	57	51	163
		% within livdel	14.6%	15.2%	13.4%	14.4%
	5 (most desirable)	Count	125	114	135	374
		% within livdel	33.2%	30.4%	35.3%	33.0%
Total		Count	377	375	382	1134
		% within livdel	100.0%	100.0%	100.0%	100.0%

**Chi-Square Tests**

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	6.116 <sup>a</sup>	8	.634
Likelihood Ratio	6.253	8	.619
Linear-by-Linear Association	.029	1	.866
N of Valid Cases	1134		

a. 0 cells (.0%) have expected count less than 5. The minimum expected count is 31.75.

**Rate appeal for services with 5 being most desirable and 1 being of little interest --Computer/Internet training/classes \* livdel**

**Crosstab**

			livdel			Total
			0-14	15-34	35+	
Rate appeal for services with 5 being most desirable and 1 being of little interest --Computer/Internet training/classes	1 (little interest)	Count	58	74	86	218
		% within livdel	14.8%	19.4%	21.3%	18.5%
	2	Count	19	45	28	92
		% within livdel	4.9%	11.8%	6.9%	7.8%
	3	Count	100	82	59	241
		% within livdel	25.6%	21.5%	14.6%	20.5%
	4	Count	63	87	62	212
		% within livdel	16.1%	22.8%	15.3%	18.0%
	5 (most desirable)	Count	151	94	169	414
		% within livdel	38.6%	24.6%	41.8%	35.2%
Total	Count	391	382	404	1177	
	% within livdel	100.0%	100.0%	100.0%	100.0%	

**Chi-Square Tests**

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	54.822 <sup>a</sup>	8	.000
Likelihood Ratio	55.849	8	.000
Linear-by-Linear Association	.721	1	.396
N of Valid Cases	1177		

a. 0 cells (.0%) have expected count less than 5. The minimum expected count is 29.86.

Rate appeal for services with 5 being most desirable and 1 being of little interest --Later evening hours \* livdel

**Crosstab**

			livdel			Total
			0-14	15-34	35+	
Rate appeal for services with 5 being most desirable and 1 being of little interest --Later evening hours	1 (little interest)	Count	49	66	120	235
		% within livdel	12.3%	16.8%	28.7%	19.4%
	2	Count	20	26	22	68
		% within livdel	5.0%	6.6%	5.3%	5.6%
	3	Count	90	62	62	214
		% within livdel	22.6%	15.7%	14.8%	17.7%
	4	Count	80	101	79	260
		% within livdel	20.1%	25.6%	18.9%	21.5%
	5 (most desirable)	Count	160	139	135	434
		% within livdel	40.1%	35.3%	32.3%	35.8%
Total	Count	399	394	418	1211	
	% within livdel	100.0%	100.0%	100.0%	100.0%	

**Chi-Square Tests**

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	48.031 <sup>a</sup>	8	.000
Likelihood Ratio	46.792	8	.000
Linear-by-Linear Association	22.754	1	.000
N of Valid Cases	1211		

a. 0 cells (.0%) have expected count less than 5. The minimum expected count is 22.12.

**Rate appeal for services with 5 being most desirable and 1 being of little interest --Sunday hours \* livdel**

**Crosstab**

			livdel			Total
			0-14	15-34	35+	
Rate appeal for services with 5 being most desirable and 1 being of little interest --Sunday hours	1 (little interest)	Count	96	90	154	340
		% within livdel	24.3%	22.8%	37.7%	28.4%
	2	Count	27	40	38	105
		% within livdel	6.8%	10.2%	9.3%	8.8%
	3	Count	63	51	54	168
		% within livdel	15.9%	12.9%	13.2%	14.0%
	4	Count	75	76	55	206
		% within livdel	19.0%	19.3%	13.5%	17.2%
	5 (most desirable)	Count	134	137	107	378
		% within livdel	33.9%	34.8%	26.2%	31.6%
Total		Count	395	394	408	1197
		% within livdel	100.0%	100.0%	100.0%	100.0%

**Chi-Square Tests**

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	34.069 <sup>a</sup>	8	.000
Likelihood Ratio	33.760	8	.000
Linear-by-Linear Association	19.431	1	.000
N of Valid Cases	1197		

a. 0 cells (.0%) have expected count less than 5. The minimum expected count is 34.56.

**Rate appeal for services with 5 being most desirable and 1 being of little interest --Community meeting facilities \* livdel**

**Crosstab**

			livdel			Total
			0-14	15-34	35+	
Rate appeal for services with 5 being most desirable and 1 being of little interest --Community meeting facilities	1 (little interest)	Count	77	103	122	302
		% within livdel	20.1%	26.6%	30.0%	25.6%
	2	Count	51	56	33	140
		% within livdel	13.3%	14.5%	8.1%	11.9%
	3	Count	79	94	92	265
		% within livdel	20.6%	24.3%	22.6%	22.5%
	4	Count	77	70	73	220
		% within livdel	20.1%	18.1%	17.9%	18.7%
	5 (most desirable)	Count	100	64	87	251
		% within livdel	26.0%	16.5%	21.4%	21.3%
Total		Count	384	387	407	1178
		% within livdel	100.0%	100.0%	100.0%	100.0%

**Chi-Square Tests**

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	25.436 <sup>a</sup>	8	.001
Likelihood Ratio	26.190	8	.001
Linear-by-Linear Association	5.973	1	.015
N of Valid Cases	1178		

a. 0 cells (.0%) have expected count less than 5. The minimum expected count is 45.64.

**Rate appeal for services with 5 being most desirable and 1 being of little interest --Business infor/services for home and small businesses \* livdel**

**Crosstab**

			livdel			Total
			0-14	15-34	35+	
Rate appeal for services with 5 being most desirable and 1 being of little interest --Business infor/services for home and small businesses	1 (little interest)	Count	61	81	106	248
		% within livdel	15.8%	21.4%	26.4%	21.3%
	2	Count	44	40	43	127
		% within livdel	11.4%	10.6%	10.7%	10.9%
	3	Count	88	99	102	289
		% within livdel	22.7%	26.2%	25.4%	24.8%
	4	Count	74	89	53	216
		% within livdel	19.1%	23.5%	13.2%	18.5%
	5 (most desirable)	Count	120	69	97	286
		% within livdel	31.0%	18.3%	24.2%	24.5%
Total		Count	387	378	401	1166
		% within livdel	100.0%	100.0%	100.0%	100.0%

**Chi-Square Tests**

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	35.725 <sup>a</sup>	8	.000
Likelihood Ratio	36.274	8	.000
Linear-by-Linear Association	15.029	1	.000
N of Valid Cases	1166		

a. 0 cells (.0%) have expected count less than 5. The minimum expected count is 41.17.

**Rate appeal for services with 5 being most desirable and 1 being of little interest --Job/employment information \* livdel**

**Crosstab**

			livdel			Total
			0-14	15-34	35+	
Rate appeal for services with 5 being most desirable and 1 being of little interest --Job/employment information	1 (little interest)	Count	57	80	113	250
		% within livdel	14.8%	21.1%	28.2%	21.5%
	2	Count	19	48	31	98
		% within livdel	4.9%	12.6%	7.7%	8.4%
	3	Count	65	45	61	171
		% within livdel	16.9%	11.8%	15.2%	14.7%
	4	Count	87	87	70	244
		% within livdel	22.7%	22.9%	17.5%	20.9%
	5 (most desirable)	Count	156	120	126	402
		% within livdel	40.6%	31.6%	31.4%	34.5%
Total		Count	384	380	401	1165
		% within livdel	100.0%	100.0%	100.0%	100.0%

**Chi-Square Tests**

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	43.298 <sup>a</sup>	8	.000
Likelihood Ratio	43.402	8	.000
Linear-by-Linear Association	23.019	1	.000
N of Valid Cases	1165		

a. 0 cells (.0%) have expected count less than 5. The minimum expected count is 31.97.

**Rate appeal for services with 5 being most desirable and 1 being of little interest --Self check-out \* livdel**

**Crosstab**

			livdel			Total
			0-14	15-34	35+	
Rate appeal for services with 5 being most desirable and 1 being of little interest --Self check-out	1 (little interest)	Count	55	62	104	221
		% within livdel	13.9%	15.6%	25.4%	18.4%
	2	Count	31	51	31	113
		% within livdel	7.8%	12.8%	7.6%	9.4%
	3	Count	66	44	67	177
		% within livdel	16.6%	11.1%	16.4%	14.7%
	4	Count	88	92	66	246
		% within livdel	22.2%	23.2%	16.1%	20.4%
	5 (most desirable)	Count	157	148	141	446
		% within livdel	39.5%	37.3%	34.5%	37.1%
Total	Count	397	397	409	1203	
	% within livdel	100.0%	100.0%	100.0%	100.0%	

**Chi-Square Tests**

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	37.122 <sup>a</sup>	8	.000
Likelihood Ratio	36.559	8	.000
Linear-by-Linear Association	13.536	1	.000
N of Valid Cases	1203		

a. 0 cells (.0%) have expected count less than 5. The minimum expected count is 37.29.

**Worthy of public tax support -- More extensive book collections \* livdel**

**Crosstab**

			livdel			Total
			0-14	15-34	35+	
Worthy of public tax support -- More extensive book collections	YES	Count	257	275	226	758
		% within livdel	63.1%	68.2%	51.6%	60.7%
	NO	Count	150	128	212	490
		% within livdel	36.9%	31.8%	48.4%	39.3%
Total	Count	407	403	438	1248	
	% within livdel	100.0%	100.0%	100.0%	100.0%	

**Chi-Square Tests**

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	25.838 <sup>a</sup>	2	.000
Likelihood Ratio	25.787	2	.000
Linear-by-Linear Association	12.323	1	.000
N of Valid Cases	1248		

a. 0 cells (.0%) have expected count less than 5. The minimum expected count is 158.23.

**Worthy of public tax support -- Access to additional library electronic databases \* livdel**

**Crosstab**

			livdel			Total
			0-14	15-34	35+	
Worthy of public tax support -- Access to additional library electronic databases	YES	Count	255	257	244	756
		% within livdel	61.6%	63.8%	55.7%	60.2%
	NO	Count	159	146	194	499
		% within livdel	38.4%	36.2%	44.3%	39.8%
Total		Count	414	403	438	1255
		% within livdel	100.0%	100.0%	100.0%	100.0%

**Chi-Square Tests**

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	6.172 <sup>a</sup>	2	.046
Likelihood Ratio	6.154	2	.046
Linear-by-Linear Association	3.175	1	.075
N of Valid Cases	1255		

a. 0 cells (.0%) have expected count less than 5. The minimum expected count is 160.24.

**Worthy of public tax support -- Library services available for homebound people \* livdel**

**Crosstab**

			livdel			Total
			0-14	15-34	35+	
Worthy of public tax support -- Library services available for homebound people	YES	Count	303	302	339	944
		% within livdel	73.4%	74.0%	76.9%	74.8%
	NO	Count	110	106	102	318
		% within livdel	26.6%	26.0%	23.1%	25.2%
Total		Count	413	408	441	1262
		% within livdel	100.0%	100.0%	100.0%	100.0%

**Chi-Square Tests**

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	1.586 <sup>a</sup>	2	.453
Likelihood Ratio	1.599	2	.450
Linear-by-Linear Association	1.408	1	.235
N of Valid Cases	1262		

a. 0 cells (.0%) have expected count less than 5. The minimum expected count is 102.81.

**Worthy of public tax support -- Structured homework assistance programs \* livdel**

**Crosstab**

			livdel			Total
			0-14	15-34	35+	
Worthy of public tax support -- Structured homework assistance programs	YES	Count	259	252	275	786
		% within livdel	63.2%	61.8%	62.5%	62.5%
	NO	Count	151	156	165	472
		% within livdel	36.8%	38.2%	37.5%	37.5%
Total		Count	410	408	440	1258
		% within livdel	100.0%	100.0%	100.0%	100.0%

**Chi-Square Tests**

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	.173 <sup>a</sup>	2	.917
Likelihood Ratio	.173	2	.917
Linear-by-Linear Association	.038	1	.846
N of Valid Cases	1258		

a. 0 cells (.0%) have expected count less than 5. The minimum expected count is 153.08.

**Worthy of public tax support -- Adult literacy training \* livdel**

**Crosstab**

			livdel			Total
			0-14	15-34	35+	
Worthy of public tax support -- Adult literacy training	YES	Count	282	300	306	888
		% within livdel	69.1%	73.7%	69.1%	70.6%
	NO	Count	126	107	137	370
		% within livdel	30.9%	26.3%	30.9%	29.4%
Total		Count	408	407	443	1258
		% within livdel	100.0%	100.0%	100.0%	100.0%

**Chi-Square Tests**

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	2.825 <sup>a</sup>	2	.244
Likelihood Ratio	2.858	2	.240
Linear-by-Linear Association	.003	1	.958
N of Valid Cases	1258		

a. 0 cells (.0%) have expected count less than 5. The minimum expected count is 119.71.

**Worthy of public tax support -- Computer/Internet training/classes \* livdel**

**Crosstab**

			livdel			Total
			0-14	15-34	35+	
Worthy of public tax support -- Computer/Internet training/classes	YES	Count	257	258	275	790
		% within livdel	62.8%	63.2%	61.8%	62.6%
	NO	Count	152	150	170	472
		% within livdel	37.2%	36.8%	38.2%	37.4%
Total		Count	409	408	445	1262
		% within livdel	100.0%	100.0%	100.0%	100.0%

**Chi-Square Tests**

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	.202 <sup>a</sup>	2	.904
Likelihood Ratio	.202	2	.904
Linear-by-Linear Association	.103	1	.748
N of Valid Cases	1262		

a. 0 cells (.0%) have expected count less than 5. The minimum expected count is 152.60.

**Worthy of public tax support -- Later evening hours \* livdel**

**Crosstab**

			livdel			Total
			0-14	15-34	35+	
Worthy of public tax support -- Later evening hours	YES	Count	225	250	209	684
		% within livdel	54.3%	61.3%	47.3%	54.1%
	NO	Count	189	158	233	580
		% within livdel	45.7%	38.7%	52.7%	45.9%
Total		Count	414	408	442	1264
		% within livdel	100.0%	100.0%	100.0%	100.0%

**Chi-Square Tests**

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	16.735 <sup>a</sup>	2	.000
Likelihood Ratio	16.796	2	.000
Linear-by-Linear Association	4.565	1	.033
N of Valid Cases	1264		

a. 0 cells (.0%) have expected count less than 5. The minimum expected count is 187.22.

**Worthy of public tax support -- Sunday hours \* livdel**

**Crosstab**

			livdel			Total
			0-14	15-34	35+	
Worthy of public tax support -- Sunday hours	YES	Count	198	224	191	613
		% within livdel	47.7%	55.3%	43.4%	48.7%
	NO	Count	217	181	249	647
		% within livdel	52.3%	44.7%	56.6%	51.3%
Total		Count	415	405	440	1260
		% within livdel	100.0%	100.0%	100.0%	100.0%

**Chi-Square Tests**

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	12.172 <sup>a</sup>	2	.002
Likelihood Ratio	12.194	2	.002
Linear-by-Linear Association	1.719	1	.190
N of Valid Cases	1260		

a. 0 cells (.0%) have expected count less than 5. The minimum expected count is 197.04.

**Worthy of public tax support -- Community meeting facilities \* livdel**

**Crosstab**

			livdel			Total
			0-14	15-34	35+	
Worthy of public tax support -- Community meeting facilities	YES	Count	210	193	212	615
		% within livdel	50.7%	47.5%	48.3%	48.8%
	NO	Count	204	213	227	644
		% within livdel	49.3%	52.5%	51.7%	51.2%
Total		Count	414	406	439	1259
		% within livdel	100.0%	100.0%	100.0%	100.0%

**Chi-Square Tests**

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	.917 <sup>a</sup>	2	.632
Likelihood Ratio	.917	2	.632
Linear-by-Linear Association	.489	1	.484
N of Valid Cases	1259		

a. 0 cells (.0%) have expected count less than 5. The minimum expected count is 198.32.

**Worthy of public tax support -- Business information/services for home and small b \* livdel**

**Crosstab**

			livdel			Total
			0-14	15-34	35+	
Worthy of public tax support -- Business information/services for home and small b	YES	Count	240	230	238	708
		% within livdel	58.0%	56.8%	54.0%	56.2%
	NO	Count	174	175	203	552
		% within livdel	42.0%	43.2%	46.0%	43.8%
Total		Count	414	405	441	1260
		% within livdel	100.0%	100.0%	100.0%	100.0%

**Chi-Square Tests**

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	1.477 <sup>a</sup>	2	.478
Likelihood Ratio	1.476	2	.478
Linear-by-Linear Association	1.401	1	.237
N of Valid Cases	1260		

a. 0 cells (.0%) have expected count less than 5. The minimum expected count is 177.43.

**Worthy of public tax support -- Job/employment information \* livdel**

**Crosstab**

			livdel			Total
			0-14	15-34	35+	
Worthy of public tax support -- Job/employment information	YES	Count	271	283	284	838
		% within livdel	65.5%	69.5%	64.1%	66.3%
	NO	Count	143	124	159	426
		% within livdel	34.5%	30.5%	35.9%	33.7%
Total		Count	414	407	443	1264
		% within livdel	100.0%	100.0%	100.0%	100.0%

**Chi-Square Tests**

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	2.988 <sup>a</sup>	2	.225
Likelihood Ratio	3.010	2	.222
Linear-by-Linear Association	.202	1	.653
N of Valid Cases	1264		

a. 0 cells (.0%) have expected count less than 5. The minimum expected count is 137.17.

**Worthy of public tax support -- Self check-out (you would use an ATM-type machine \* livdel**

**Crosstab**

			livdel			Total
			0-14	15-34	35+	
Worthy of public tax support -- Self check-out (you would use an ATM-type machine)	YES	Count	192	212	222	626
		% within livdel	46.9%	52.5%	51.3%	50.2%
	NO	Count	217	192	211	620
		% within livdel	53.1%	47.5%	48.7%	49.8%
Total		Count	409	404	433	1246
		% within livdel	100.0%	100.0%	100.0%	100.0%

**Chi-Square Tests**

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	2.769 <sup>a</sup>	2	.250
Likelihood Ratio	2.770	2	.250
Linear-by-Linear Association	1.529	1	.216
N of Valid Cases	1246		

a. 0 cells (.0%) have expected count less than 5. The minimum expected count is 201.03.

How long are you willing to travel to use a library that has information and materials that are relevant to you? \* livdel

**Crosstab**

			livdel			Total
			0-14	15-34	35+	
How long are you willing to travel to use a library that has information and materials that are relevant to you?	Less than 10 minutes	Count	46	51	87	184
		% within livdel	11.4%	12.8%	20.6%	15.0%
	10 to 15 minutes	Count	152	146	151	449
		% within livdel	37.7%	36.7%	35.8%	36.7%
	15 to 30 minutes	Count	158	147	120	425
		% within livdel	39.2%	36.9%	28.4%	34.8%
	More than 30 minutes	Count	47	54	64	165
		% within livdel	11.7%	13.6%	15.2%	13.5%
Total	Count	403	398	422	1223	
	% within livdel	100.0%	100.0%	100.0%	100.0%	

**Chi-Square Tests**

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	23.332 <sup>a</sup>	6	.001
Likelihood Ratio	23.049	6	.001
Linear-by-Linear Association	4.290	1	.038
N of Valid Cases	1223		

a. 0 cells (.0%) have expected count less than 5. The minimum expected count is 53.70.

Which of one of the following statements best reflects your opinion? Public libraries are: \* livdel

**Crosstab**

			livdel			Total
			0-14	15-34	35+	
Which of one of the following statements best reflects your opinion? Public libraries are:	Essential to the quality of life in our community	Count % within livdel	230 56.8%	230 56.1%	255 57.7%	715 56.9%
	Very important, but not essential	Count % within livdel	124 30.6%	141 34.4%	137 31.0%	402 32.0%
	Somewhat important, but not essential	Count % within livdel	49 12.1%	36 8.8%	40 9.0%	125 9.9%
	Not very important	Count % within livdel	0 .0%	1 .2%	7 1.6%	8 .6%
	Not at all important to the quality of life in our	Count % within livdel	2 .5%	2 .5%	3 .7%	7 .6%
Total	Count % within livdel	405 100.0%	410 100.0%	442 100.0%	1257 100.0%	

**Chi-Square Tests**

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	13.998 <sup>a</sup>	8	.082
Likelihood Ratio	14.934	8	.060
Linear-by-Linear Association	.001	1	.973
N of Valid Cases	1257		

a. 6 cells (40.0%) have expected count less than 5. The minimum expected count is 2.26.

What is your zip code? \* livdel

**Crosstab**

			livdel			Total
			0-14	15-34	35+	
What is your zip code?	3190	Count	0	0	0	0
		% within livdel	.0%	.0%	.0%	.0%
	11962	Count	0	0	0	0
		% within livdel	.0%	.0%	.0%	.0%
	16690	Count	1	0	0	1
		% within livdel	.2%	.0%	.0%	.1%
	19012	Count	1	0	0	1
		% within livdel	.2%	.0%	.0%	.1%
	19173	Count	1	0	0	1
		% within livdel	.2%	.0%	.0%	.1%
	19518	Count	0	0	0	0
		% within livdel	.0%	.0%	.0%	.0%
	19701	Count	22	16	25	63
		% within livdel	5.3%	3.9%	5.6%	5.0%
	19702	Count	24	31	15	70
		% within livdel	5.8%	7.6%	3.4%	5.5%
	19703	Count	4	5	8	17
		% within livdel	1.0%	1.2%	1.8%	1.3%

Crosstab

		livdel			Total	
		0-14	15-34	35+		
What is your zip code?	19706	Count	4	3	0	7
		% within livdel	1.0%	.7%	.0%	.6%
	19707	Count	6	12	5	23
		% within livdel	1.4%	2.9%	1.1%	1.8%
	19709	Count	16	19	11	46
		% within livdel	3.9%	4.6%	2.5%	3.6%
	19711	Count	37	30	25	92
		% within livdel	8.9%	7.3%	5.6%	7.2%
	19713	Count	18	11	12	41
		% within livdel	4.3%	2.7%	2.7%	3.2%
	19717	Count	1	0	0	1
		% within livdel	.2%	.0%	.0%	.1%
	19720	Count	22	6	33	61
		% within livdel	5.3%	1.5%	7.4%	4.8%
	19733	Count	0	3	0	3
		% within livdel	.0%	.7%	.0%	.2%
	19734	Count	6	5	4	15
		% within livdel	1.4%	1.2%	.9%	1.2%
	19801	Count	5	11	8	24
		% within livdel	1.2%	2.7%	1.8%	1.9%
	19802	Count	9	12	20	41
		% within livdel	2.2%	2.9%	4.5%	3.2%
	19803	Count	16	10	11	37
		% within livdel	3.9%	2.4%	2.5%	2.9%
	19804	Count	7	12	23	42
		% within livdel	1.7%	2.9%	5.2%	3.3%
	19805	Count	2	16	31	49
		% within livdel	.5%	3.9%	7.0%	3.9%
	19806	Count	6	5	2	13
		% within livdel	1.4%	1.2%	.4%	1.0%
	19807	Count	0	1	3	4
		% within livdel	.0%	.2%	.7%	.3%
	19808	Count	13	18	30	61
	% within livdel	3.1%	4.4%	6.7%	4.8%	
19809	Count	12	8	17	37	
	% within livdel	2.9%	2.0%	3.8%	2.9%	
19810	Count	9	21	15	45	
	% within livdel	2.2%	5.1%	3.4%	3.5%	
19901	Count	16	14	10	40	
	% within livdel	3.9%	3.4%	2.2%	3.2%	
19903	Count	0	0	0	0	
	% within livdel	.0%	.0%	.0%	.0%	
19904	Count	15	14	10	39	
	% within livdel	3.6%	3.4%	2.2%	3.1%	
19916	Count	0	0	1	1	
	% within livdel	.0%	.0%	.2%	.1%	
19930	Count	3	2	1	6	
	% within livdel	.7%	.5%	.2%	.5%	
19931	Count	0	0	0	0	
	% within livdel	.0%	.0%	.0%	.0%	

Crosstab

			livdel			Total
			0-14	15-34	35+	
What is your zip code?	19933	Count	4	9	0	13
		% within livdel	1.0%	2.2%	.0%	1.0%
	19934	Count	7	5	7	19
		% within livdel	1.7%	1.2%	1.6%	1.5%
	19936	Count	1	0	0	1
		% within livdel	.2%	.0%	.0%	.1%
	19938	Count	2	5	8	15
		% within livdel	.5%	1.2%	1.8%	1.2%
	19939	Count	5	1	0	6
		% within livdel	1.2%	.2%	.0%	.5%
	19940	Count	2	1	2	5
		% within livdel	.5%	.2%	.4%	.4%
	19941	Count	0	1	0	1
		% within livdel	.0%	.2%	.0%	.1%
	19943	Count	4	4	8	16
		% within livdel	1.0%	1.0%	1.8%	1.3%
	19944	Count	1	0	1	2
		% within livdel	.2%	.0%	.2%	.2%
	19945	Count	4	4	4	12
		% within livdel	1.0%	1.0%	.9%	.9%
	19946	Count	2	3	3	8
		% within livdel	.5%	.7%	.7%	.6%
	19947	Count	5	6	7	18
		% within livdel	1.2%	1.5%	1.6%	1.4%
	19950	Count	2	4	2	8
		% within livdel	.5%	1.0%	.4%	.6%
	19951	Count	1	1	0	2
		% within livdel	.2%	.2%	.0%	.2%
	19952	Count	2	5	2	9
		% within livdel	.5%	1.2%	.4%	.7%
	19953	Count	0	2	2	4
		% within livdel	.0%	.5%	.4%	.3%
	19954	Count	0	2	2	4
	% within livdel	.0%	.5%	.4%	.3%	
19956	Count	9	11	9	29	
	% within livdel	2.2%	2.7%	2.0%	2.3%	
19958	Count	11	9	7	27	
	% within livdel	2.7%	2.2%	1.6%	2.1%	
19960	Count	1	1	2	4	
	% within livdel	.2%	.2%	.4%	.3%	
19962	Count	5	6	1	12	
	% within livdel	1.2%	1.5%	.2%	.9%	
19963	Count	8	7	6	21	
	% within livdel	1.9%	1.7%	1.3%	1.7%	
19964	Count	0	0	2	2	
	% within livdel	.0%	.0%	.4%	.2%	
19965	Count	1	0	0	1	
	% within livdel	.2%	.0%	.0%	.1%	
19966	Count	12	4	10	26	
	% within livdel	2.9%	1.0%	2.2%	2.0%	

**Crosstab**

			livdel			Total
			0-14	15-34	35+	
What is your zip code?	19967	Count	1	0	0	1
		% within livdel	.2%	.0%	.0%	.1%
	19968	Count	3	7	7	17
		% within livdel	.7%	1.7%	1.6%	1.3%
	19970	Count	6	3	2	11
		% within livdel	1.4%	.7%	.4%	.9%
	19971	Count	19	5	8	32
		% within livdel	4.6%	1.2%	1.8%	2.5%
	19973	Count	9	9	14	32
		% within livdel	2.2%	2.2%	3.1%	2.5%
	19975	Count	2	1	3	6
		% within livdel	.5%	.2%	.7%	.5%
	19977	Count	6	8	6	20
		% within livdel	1.4%	2.0%	1.3%	1.6%
	19979	Count	1	1	0	2
		% within livdel	.2%	.2%	.0%	.2%
	19980	Count	0	0	0	0
		% within livdel	.0%	.0%	.0%	.0%
	20773	Count	0	0	0	0
		% within livdel	.0%	.0%	.0%	.0%
20910	Count	1	0	0	1	
	% within livdel	.2%	.0%	.0%	.1%	
22003	Count	1	0	0	1	
	% within livdel	.2%	.0%	.0%	.1%	
Total	Count	414	410	445	1269	
	% within livdel	100.0%	100.0%	100.0%	100.0%	

**Chi-Square Tests**

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	199.968 <sup>a</sup>	140	.001
Likelihood Ratio	223.625	140	.000
Linear-by-Linear Association	.002	1	.968
N of Valid Cases	1269		

a. 124 cells (58.2%) have expected count less than 5. The minimum expected count is .00.

**What county do you live in or staying in while in Delaware? \* livdel**

**Crosstab**

			livdel			Total
			0-14	15-34	35+	
What county do you live in or staying in while in Delaware?	Kent	Count	66	72	63	201
		% within livdel	15.9%	17.6%	14.1%	15.8%
	New Castle	Count	242	257	303	802
		% within livdel	58.3%	62.7%	67.8%	63.1%
	Sussex	Count	107	81	81	269
		% within livdel	25.8%	19.8%	18.1%	21.1%
Total	Count	415	410	447	1272	
	% within livdel	100.0%	100.0%	100.0%	100.0%	

**Chi-Square Tests**

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	11.235 <sup>a</sup>	4	.024
Likelihood Ratio	11.068	4	.026
Linear-by-Linear Association	1.932	1	.165
N of Valid Cases	1272		

a. 0 cells (.0%) have expected count less than 5. The minimum expected count is 64.79.

You said that you live or are staying in Sussex Co. Are you a resident of Delaware or another state? \* livdel

**Crosstab**

			livdel			Total
			0-14	15-34	35+	
You said that you live or are staying in Sussex Co. Are you a resident of Delaware or another state?	Delaware Residence	Count	87	81	81	249
		% within livdel	81.3%	100.0%	100.0%	92.6%
	Another State	Count	20	0	0	20
		% within livdel	18.7%	.0%	.0%	7.4%
	Total	Count	107	81	81	269
		% within livdel	100.0%	100.0%	100.0%	100.0%

**Chi-Square Tests**

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	32.713 <sup>a</sup>	2	.000
Likelihood Ratio	39.346	2	.000
Linear-by-Linear Association	25.475	1	.000
N of Valid Cases	269		

a. 0 cells (.0%) have expected count less than 5. The minimum expected count is 6.02.

How many people living in your household are -- 4 and under \* livdel

**Crosstab**

			livdel			Total
			0-14	15-34	35+	
How many people living in your household are -- 4 and under	0	Count	328	331	404	1063
		% within livdel	79.6%	81.7%	91.4%	84.4%
	1	Count	54	58	26	138
		% within livdel	13.1%	14.3%	5.9%	11.0%
	2	Count	24	16	8	48
		% within livdel	5.8%	4.0%	1.8%	3.8%
	3	Count	4	0	3	7
	% within livdel	1.0%	.0%	.7%	.6%	
	4	Count	2	0	0	2
		% within livdel	.5%	.0%	.0%	.2%
	7	Count	0	0	1	1
		% within livdel	.0%	.0%	.2%	.1%
Total		Count	412	405	442	1259
		% within livdel	100.0%	100.0%	100.0%	100.0%

**Chi-Square Tests**

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	38.985 <sup>a</sup>	10	.000
Likelihood Ratio	43.730	10	.000
Linear-by-Linear Association	17.577	1	.000
N of Valid Cases	1259		

a. 9 cells (50.0%) have expected count less than 5. The minimum expected count is .32.

How many people living in your household are -- 5-9 \* livdel

**Crosstab**

			livdel			Total
			0-14	15-34	35+	
How many people living in your household are -- 5-9	0	Count	348	340	399	1087
		% within livdel	84.5%	84.0%	90.1%	86.3%
	1	Count	50	44	32	126
		% within livdel	12.1%	10.9%	7.2%	10.0%
	2	Count	14	20	11	45
		% within livdel	3.4%	4.9%	2.5%	3.6%
	3	Count	0	1	0	1
	% within livdel	.0%	.2%	.0%	.1%	
	7	Count	0	0	0	0
		% within livdel	.0%	.0%	.0%	.0%
	8	Count	0	0	1	1
		% within livdel	.0%	.0%	.2%	.1%
Total		Count	412	405	443	1260
		% within livdel	100.0%	100.0%	100.0%	100.0%

### Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	14.324 <sup>a</sup>	10	.159
Likelihood Ratio	14.911	10	.135
Linear-by-Linear Association	2.031	1	.154
N of Valid Cases	1260		

a. 9 cells (50.0%) have expected count less than 5. The minimum expected count is .00.

How many people living in your household are -- 10-17 \* livdel

### Crosstab

			livdel			Total
			0-14	15-34	35+	
How many people living in your household are -- 10-17	0	Count	310	320	356	986
		% within livdel	75.2%	78.8%	80.5%	78.3%
	1	Count	65	51	45	161
		% within livdel	15.8%	12.6%	10.2%	12.8%
	2	Count	33	29	36	98
		% within livdel	8.0%	7.1%	8.1%	7.8%
	3	Count	4	6	5	15
		% within livdel	1.0%	1.5%	1.1%	1.2%
	5	Count	0	0	0	0
		% within livdel	.0%	.0%	.0%	.0%
Total	Count	412	406	442	1260	
	% within livdel	100.0%	100.0%	100.0%	100.0%	

### Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	6.814 <sup>a</sup>	8	.557
Likelihood Ratio	6.786	8	.560
Linear-by-Linear Association	1.116	1	.291
N of Valid Cases	1260		

a. 5 cells (33.3%) have expected count less than 5. The minimum expected count is .00.

How many people living in your household are -- 18-24 \* livdel

**Crosstab**

			livdel			Total
			0-14	15-34	35+	
How many people living in your household are -- 18-24	0	Count	354	287	351	992
		% within livdel	85.9%	70.7%	79.2%	78.7%
	1	Count	34	69	66	169
		% within livdel	8.3%	17.0%	14.9%	13.4%
	2	Count	16	41	22	79
		% within livdel	3.9%	10.1%	5.0%	6.3%
	3	Count	5	9	4	18
		% within livdel	1.2%	2.2%	.9%	1.4%
	4	Count	0	0	0	0
		% within livdel	.0%	.0%	.0%	.0%
	5	Count	3	0	0	3
		% within livdel	.7%	.0%	.0%	.2%
Total	Count	412	406	443	1261	
	% within livdel	100.0%	100.0%	100.0%	100.0%	

**Chi-Square Tests**

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	42.249 <sup>a</sup>	10	.000
Likelihood Ratio	42.843	10	.000
Linear-by-Linear Association	.653	1	.419
N of Valid Cases	1261		

a. 6 cells (33.3%) have expected count less than 5. The minimum expected count is .00.

**How many people living in your household are -- 25-44 \* livdel**

**Crosstab**

			livdel			Total
			0-14	15-34	35+	
How many people living in your household are -- 25-44	0	Count	216	242	306	764
		% within livdel	52.6%	59.6%	69.2%	60.7%
	1	Count	151	116	105	372
		% within livdel	36.7%	28.6%	23.8%	29.5%
	2	Count	36	43	25	104
		% within livdel	8.8%	10.6%	5.7%	8.3%
	3	Count	4	5	4	13
		% within livdel	1.0%	1.2%	.9%	1.0%
	4	Count	0	0	2	2
		% within livdel	.0%	.0%	.5%	.2%
	8	Count	4	0	0	4
		% within livdel	1.0%	.0%	.0%	.3%
	Total	Count	411	406	442	1259
		% within livdel	100.0%	100.0%	100.0%	100.0%

**Chi-Square Tests**

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	40.830 <sup>a</sup>	10	.000
Likelihood Ratio	42.076	10	.000
Linear-by-Linear Association	20.387	1	.000
N of Valid Cases	1259		

a. 9 cells (50.0%) have expected count less than 5. The minimum expected count is .64.

How many people living in your household are -- 45-54 \* livdel

**Crosstab**

			livdel			Total
			0-14	15-34	35+	
How many people living in your household are -- 45-54	0	Count	322	309	358	989
		% within livdel	78.2%	76.1%	81.0%	78.5%
	1	Count	76	67	66	209
		% within livdel	18.4%	16.5%	14.9%	16.6%
	2	Count	14	27	18	59
		% within livdel	3.4%	6.7%	4.1%	4.7%
	3	Count	0	3	0	3
		% within livdel	.0%	.7%	.0%	.2%
Total		Count	412	406	442	1260
		% within livdel	100.0%	100.0%	100.0%	100.0%

**Chi-Square Tests**

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	13.714 <sup>a</sup>	6	.033
Likelihood Ratio	13.973	6	.030
Linear-by-Linear Association	.386	1	.534
N of Valid Cases	1260		

a. 3 cells (25.0%) have expected count less than 5. The minimum expected count is .97.

How many people living in your household are -- 55-64 \* livdel

**Crosstab**

			livdel			Total
			0-14	15-34	35+	
How many people living in your household are -- 55-64	0	Count	368	351	353	1072
		% within livdel	89.3%	86.7%	79.7%	85.1%
	1	Count	38	51	85	174
		% within livdel	9.2%	12.6%	19.2%	13.8%
	2	Count	6	3	5	14
		% within livdel	1.5%	.7%	1.1%	1.1%
Total		Count	412	405	443	1260
		% within livdel	100.0%	100.0%	100.0%	100.0%

**Chi-Square Tests**

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	19.437 <sup>a</sup>	4	.001
Likelihood Ratio	19.322	4	.001
Linear-by-Linear Association	11.951	1	.001
N of Valid Cases	1260		

a. 3 cells (33.3%) have expected count less than 5. The minimum expected count is 4.50.

**How many people living in your household are -- 65-74 \* livdel**

**Crosstab**

			livdel			Total
			0-14	15-34	35+	
How many people living in your household are -- 65-74	0	Count	383	379	381	1143
		% within livdel	93.0%	93.3%	86.2%	90.7%
	1	Count	25	20	47	92
		% within livdel	6.1%	4.9%	10.6%	7.3%
	2	Count	4	7	14	25
		% within livdel	1.0%	1.7%	3.2%	2.0%
Total		Count	412	406	442	1260
		% within livdel	100.0%	100.0%	100.0%	100.0%

**Chi-Square Tests**

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	17.640 <sup>a</sup>	4	.001
Likelihood Ratio	17.299	4	.002
Linear-by-Linear Association	12.503	1	.000
N of Valid Cases	1260		

a. 0 cells (.0%) have expected count less than 5. The minimum expected count is 8.06.

**How many people living in your household are --75-84 \* livdel**

**Crosstab**

			livdel			Total
			0-14	15-34	35+	
How many people living in your household are --75-84	0	Count	397	395	405	1197
		% within livdel	96.4%	97.3%	91.4%	94.9%
	1	Count	14	9	35	58
		% within livdel	3.4%	2.2%	7.9%	4.6%
	2	Count	1	2	3	6
		% within livdel	.2%	.5%	.7%	.5%
Total		Count	412	406	443	1261
		% within livdel	100.0%	100.0%	100.0%	100.0%

**Chi-Square Tests**

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	18.552 <sup>a</sup>	4	.001
Likelihood Ratio	18.071	4	.001
Linear-by-Linear Association	10.233	1	.001
N of Valid Cases	1261		

a. 3 cells (33.3%) have expected count less than 5. The minimum expected count is 1.93.

**How many people living in your household are -- 85 and over \* livdel**

**Crosstab**

			livdel			Total
			0-14	15-34	35+	
How many people living in your household are -- 85 and over	0	Count	411	403	431	1245
		% within livdel	99.8%	99.3%	97.3%	98.7%
	1	Count	1	3	12	16
		% within livdel	.2%	.7%	2.7%	1.3%
Total	Count	412	406	443	1261	
	% within livdel	100.0%	100.0%	100.0%	100.0%	

**Chi-Square Tests**

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	11.705 <sup>a</sup>	2	.003
Likelihood Ratio	11.799	2	.003
Linear-by-Linear Association	10.504	1	.001
N of Valid Cases	1261		

a. 0 cells (.0%) have expected count less than 5. The minimum expected count is 5.15.

**Which of these categories includes your age? \* livdel**

**Crosstab**

			livdel			Total
			0-14	15-34	35+	
Which of these categories includes your age?	16-17	Count	9	2	0	11
		% within livdel	2.2%	.5%	.0%	.9%
	18-24	Count	56	92	3	151
		% within livdel	13.5%	22.4%	.7%	11.9%
	25-44	Count	207	160	106	473
		% within livdel	49.9%	39.0%	23.8%	37.2%
	45-54	Count	73	70	94	237
		% within livdel	17.6%	17.1%	21.1%	18.6%
	55-64	Count	28	42	104	174
		% within livdel	6.7%	10.2%	23.3%	13.7%
	65-74	Count	37	33	85	155
		% within livdel	8.9%	8.0%	19.1%	12.2%
	75-84	Count	4	9	47	60
		% within livdel	1.0%	2.2%	10.5%	4.7%
	85 and over	Count	1	2	7	10
		% within livdel	.2%	.5%	1.6%	.8%
Total	Count	415	410	446	1271	
	% within livdel	100.0%	100.0%	100.0%	100.0%	

**Chi-Square Tests**

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	271.814 <sup>a</sup>	14	.000
Likelihood Ratio	298.316	14	.000
Linear-by-Linear Association	174.909	1	.000
N of Valid Cases	1271		

a. 6 cells (25.0%) have expected count less than 5. The minimum expected count is 3.23.

Are you? \* livdel

**Crosstab**

			livdel			Total
			0-14	15-34	35+	
Are you?	Employed	Count	272	286	233	791
		% within livdel	65.5%	69.8%	52.2%	62.2%
	Retired	Count	54	55	173	282
		% within livdel	13.0%	13.4%	38.8%	22.2%
	Student	Count	39	33	7	79
		% within livdel	9.4%	8.0%	1.6%	6.2%
	Seeking employment	Count	18	11	16	45
		% within livdel	4.3%	2.7%	3.6%	3.5%
	Not seeking employment	Count	32	25	17	74
		% within livdel	7.7%	6.1%	3.8%	5.8%
Total	Count	415	410	446	1271	
	% within livdel	100.0%	100.0%	100.0%	100.0%	

### Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	128.742 <sup>a</sup>	8	.000
Likelihood Ratio	129.728	8	.000
Linear-by-Linear Association	.965	1	.326
N of Valid Cases	1271		

a. 0 cells (.0%) have expected count less than 5. The minimum expected count is 14.52.

If employed do you work at home? \* livdel

### Crosstab

			livdel			Total
			0-14	15-34	35+	
If employed do you work at home?	YES	Count	45	25	29	99
		% within livdel	16.5%	8.7%	12.3%	12.5%
	NO	Count	227	261	206	694
		% within livdel	83.5%	91.3%	87.7%	87.5%
Total		Count	272	286	235	793
		% within livdel	100.0%	100.0%	100.0%	100.0%

### Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	7.775 <sup>a</sup>	2	.020
Likelihood Ratio	7.821	2	.020
Linear-by-Linear Association	2.343	1	.126
N of Valid Cases	793		

a. 0 cells (.0%) have expected count less than 5. The minimum expected count is 29.34.

If employed do you Tele-commute? \* livdel

### Crosstab

			livdel			Total
			0-14	15-34	35+	
If employed do you Tele-commute?	YES	Count	63	34	39	136
		% within livdel	23.2%	11.9%	16.7%	17.2%
	NO	Count	209	252	195	656
		% within livdel	76.8%	88.1%	83.3%	82.8%
Total		Count	272	286	234	792
		% within livdel	100.0%	100.0%	100.0%	100.0%

**Chi-Square Tests**

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	12.517 <sup>a</sup>	2	.002
Likelihood Ratio	12.529	2	.002
Linear-by-Linear Association	4.253	1	.039
N of Valid Cases	792		

a. 0 cells (.0%) have expected count less than 5. The minimum expected count is 40.18.

Is a language other than English the primary language spoken in your home? \* livdel

**Crosstab**

			livdel			Total
			0-14	15-34	35+	
Is a language other than English the primary language spoken in your home?	No	Count	359	402	429	1190
		% within livdel	86.5%	98.0%	95.8%	93.5%
	Yes	Count	56	8	19	83
		% within livdel	13.5%	2.0%	4.2%	6.5%
Total		Count	415	410	448	1273
		% within livdel	100.0%	100.0%	100.0%	100.0%

**Chi-Square Tests**

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	50.975 <sup>a</sup>	2	.000
Likelihood Ratio	49.182	2	.000
Linear-by-Linear Association	29.148	1	.000
N of Valid Cases	1273		

a. 0 cells (.0%) have expected count less than 5. The minimum expected count is 26.73.

What is the highest education level of any adult in your household? \* livdel

**Crosstab**

			livdel			Total
			0-14	15-34	35+	
What is the highest education level of any adult in your household?	Less than high school	Count	2	10	7	19
		% within livdel	.5%	2.5%	1.6%	1.5%
	High school grad	Count	53	73	124	250
		% within livdel	12.9%	17.9%	27.9%	19.8%
	Some college/technical school	Count	94	94	99	287
		% within livdel	22.9%	23.0%	22.2%	22.7%
	College grad	Count	154	129	128	411
		% within livdel	37.5%	31.6%	28.8%	32.5%
	Post graduate/professional	Count	108	102	87	297
		% within livdel	26.3%	25.0%	19.6%	23.5%
Total		Count	411	408	445	1264
		% within livdel	100.0%	100.0%	100.0%	100.0%

**Chi-Square Tests**

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	40.460 <sup>a</sup>	8	.000
Likelihood Ratio	40.885	8	.000
Linear-by-Linear Association	27.551	1	.000
N of Valid Cases	1264		

a. 0 cells (.0%) have expected count less than 5. The minimum expected count is 6.13.

What is your annual household income? \* livdel

**Crosstab**

			livdel			Total
			0-14	15-34	35+	
What is your annual household income?	Less than \$15,000	Count	7	21	17	45
		% within livdel	2.2%	7.0%	5.4%	4.8%
	\$15,000-\$24,999	Count	25	17	35	77
		% within livdel	7.7%	5.6%	11.2%	8.2%
	\$25,000-\$34,999	Count	55	31	55	141
		% within livdel	17.0%	10.3%	17.6%	15.0%
	\$35,000-\$49,999	Count	56	53	53	162
		% within livdel	17.3%	17.6%	16.9%	17.3%
	\$50,000-\$74,999	Count	59	76	70	205
		% within livdel	18.3%	25.2%	22.4%	21.9%
	\$75,000-\$99,999	Count	66	44	50	160
		% within livdel	20.4%	14.6%	16.0%	17.1%
	\$100,000-\$149,999	Count	44	49	25	118
		% within livdel	13.6%	16.3%	8.0%	12.6%
	\$150,000-\$249,999	Count	7	5	7	19
		% within livdel	2.2%	1.7%	2.2%	2.0%
	Over \$250,000	Count	4	5	1	10
		% within livdel	1.2%	1.7%	.3%	1.1%
Total	Count	323	301	313	937	
	% within livdel	100.0%	100.0%	100.0%	100.0%	

**Chi-Square Tests**

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	39.221 <sup>a</sup>	16	.001
Likelihood Ratio	41.455	16	.000
Linear-by-Linear Association	9.308	1	.002
N of Valid Cases	937		

a. 3 cells (11.1%) have expected count less than 5. The minimum expected count is 3.21.

Sex \* livdel

**Crosstab**

			livdel			Total
			0-14	15-34	35+	
Sex	Male	Count	202	202	204	608
		% within livdel	48.7%	49.1%	45.6%	47.8%
	Female	Count	213	209	243	665
		% within livdel	51.3%	50.9%	54.4%	52.2%
Total		Count	415	411	447	1273
		% within livdel	100.0%	100.0%	100.0%	100.0%

**Chi-Square Tests**

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	1.264 <sup>a</sup>	2	.532
Likelihood Ratio	1.265	2	.531
Linear-by-Linear Association	.821	1	.365
N of Valid Cases	1273		

a. 0 cells (.0%) have expected count less than 5. The minimum expected count is 196.30.